

Township No. 10 North, Range No. 11 West of 2nd Mer.

Interior Section corners described

Quarter Section corners described


Corners on the Mankash River

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil	Corners of Sections	Bearing trees	Inches diam.	Courses they bear	Links dist.	From it to	Bearing trees	Inches diam.	Courses they bear	Links dist.	Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	
A	W. Oak	12	N 72 E	73		25. 26. 35. 36	Box Elder	6	S 7 E	12	I to X at 1	Elm		East	53	1	Blackberry	10	North	10	
a	do	12	N 71 E	71			Blackberry	6	N 83 E	25	2						2	W. Oak	30	S 38 E	43
B	W. Oak	15	N 45 E	24		23. 24. 25. 26	W. Oak	20	N 62 E	29							3	Blackberry	5	S 39 E	17
b	Blackberry	18	S 6 E	52			Blackberry	6	S 11 E	30							4	Sugar	8	Corner tree	
c	Blackberry	15	S 1 E	40		13. 14. 23. 24	Blackberry	26	S 69 E	17	3	Elm	18	S 73 E	48		5	Maple	9	Corner tree	
c	do	18	S 51 E	22			do	12	S 25 E	27							6	Willow	10	S 11 E	10
D	W. Oak	20	N 24 E	36		11. 12. 13. 14	Blackberry	12	S 67 E	21	4	B. Oak	10	N 83 E	26		7	do	15	S 58 E	27
d	B. Oak	2	N 39 E	17			do	15	N 58 E	28							8	do	6	S 22 E	7
E	Sunn		N 27 E	22		1. 2. 11. 12	in the river										9	do	4	N 33 E	15
e	Sugar	18	S 17 E	34		26. 27. 34. 35	Blackberry	12	N 44 E	19							10	do	10	Corner tree	
F	Elm	18	S 2 E	39		22. 23. 26. 27	Sycamore	6	S 46 E	34							11	do	6	S 22 E	7
f	Buckeye	10	N 2 E	4			do	50	South	93							12	do	4	N 33 E	15
G	Sugar	9	S 12 E	8		10. 11. 14. 15	Elm	14	N 56 E	21							13	do	10	Corner tree	
g	Black	10	N 33 E	13			do	5	N 24 E	54							14	do	15	S 58 E	27
g	W. Walnut	12	S 44 E	26		2. 3. 10. 11	Sugar	12	N 30 E	12							15	do	6	S 22 E	7
H	Elm	10	S 73 E	7			do	12	S 37 E	41							16	do	4	N 33 E	15
h	do	24	S 64 E	32		27. 28. 33. 34	Elm	12	S 26 E	7							17	do	10	Corner tree	
h	Locust	18	S 8 E	14			W. Oak	24	S 75 E	35							18	do	6	S 22 E	7
I	Post in Prairie					21. 22. 27. 28	in Pond										19	do	10	Corner tree	
i	Post in Prairie					15. 16. 21. 22	B. Oak	16	N 51 E	52							20	do	6	S 22 E	7
K	Elm	12	S 8 E	27			do	12	N 23 E	53							21	do	4	N 33 E	15
k	do	12	N 13 E	7		9. 10. 15. 16	W. Oak	8	S 84 E	24							22	do	8	S 22 E	7
K	do	36	S 69 E	5			do	15	S 72 E	50							23	do	6	S 22 E	7
L	Blackberry	14	N 24 E	20		3. 11. 9. 10	B. Oak	18	S 72 E	50							24	do	12	S 22 E	7
L	Sycamore	36	S 6 E	34			W. Oak	12	N 78 E	73							25	do	8	S 22 E	7
L	Elm	18	S 11 E	9		28. 29. 32. 33	B. Oak	13	S 18 E	40							26	do	6	S 22 E	7
M	W. Oak	8	N 25 E	36		20. 21. 28. 29	W. Oak	14	S 3 E	43							27	do	12	S 22 E	7
M	Locust	10	S 47 E	14			do	14	N 85 E	77							28	do	6	S 22 E	7
M	Cottonwood	9	S 70 E	28		16. 17. 20. 21	W. Oak	35	N 7 E	9							29	do	12	S 22 E	7
m	Black. Oak	10	S 48 E	32			Blackberry	8	N 16 E	34							30	do	6	S 22 E	7
N	Maple	16	N 56 E	24		8. 9. 16. 17	do	15	N 61 E	10							31	do	12	S 22 E	7
N	W. Oak	30	N 70 E	4			do	18	N 86 E	38							32	do	6	S 22 E	7
n	Blackberry	13	S 69 E	71		4. 5. 8. 9	W. Oak	5	N 54 E	32							33	do	12	S 22 E	7
n	B. Walnut	5	S 39 E	33		29. 30. 31. 32	W. Oak	18	N 66 E	15							34	do	6	S 22 E	7
o	Black. Oak	8	N 37 E	18			do	12	N 68 E	10							35	do	12	S 22 E	7
o	Box Elder	11	S 12 E	43		19. 20. 29. 30	Blackberry	12	N 5 E	18							36	do	6	S 22 E	7
P	Post in Prairie						W. Oak	12	N 14 E	34							37	do	12	S 22 E	7
P	Post in Prairie						do	12	S 10 E	75							38	do	6	S 22 E	7
Q	Post in Prairie						do	12	S 67 E	92							39	do	12	S 22 E	7
q	W. Walnut	8	N 38 E	8		7. 8. 17. 18	W. Oak	12	S 8 E	102							40	do	6	S 22 E	7
R	Elm	14	S 26 E	15			do	18	S 24 E	26							41	do	12	S 22 E	7
R	Blackberry	8	N 4 E	9			do	15	N 61 E	10							42	do	6	S 22 E	7
r	Post	9	S 22 E	19			do	12	N 68 E	10							43	do	12	S 22 E	7
S	W. Oak	30	S 36 E	34			do	12	N 5 E	18							44	do	6	S 22 E	7
s	do	12	N 24 E	37			do	12	N 14 E	34							45	do	12	S 22 E	7
s	W. Oak	10	N 70 E	61			do	12	S 10 E	75							46	do	6	S 22 E	7
T	do	25	S 23 E	42			do	12	S 67 E	92							47	do	12	S 22 E	7
T	Black	10	S 45 E	16			do	18	S 8 E	102							48	do	6	S 22 E	7
T	Sycamore	25	N 22 E	45			do	15	S 24 E	26							49	do	12	S 22 E	7
U	Elm	10	N 87 E	49			do	12	S 26 E	7							50	do	6	S 22 E	7
u							do	12	S 67 E	92							51	do	12	S 22 E	7
V	Blackberry	10	N 12 E	25			do	18	S 8 E	102							52	do	6	S 22 E	7
v	W. Oak	36	S 8 E	66			do	15	N 61 E	10							53	do	12	S 22 E	7
W	Blackberry	12	N 38 E	18			do	12	N 68 E	10							54	do	6	S 22 E	7
w	W. Oak	20	S 26 E	74			do	12	N 5 E	18							55	do	12	S 22 E	7
X	W. Oak	24	S 34 E	60			do	12	N 14 E	34							56	do	6	S 22 E	7
x	do	20	S 2 E	67			do	18	S 24 E	26							57	do	12	S 22 E	7
Y	W. Oak	18	N 33 E	30			do	15	N 61 E	10							58	do	6	S 22 E	7
y	do	20	S 89 E	24			do	12	N 68 E	10							59	do	12	S 22 E	7
Y							do	12	N 5 E	18							60	do	6	S 22 E	7

Quarter Section Corners described.				
From it to	Bearing trees	Inches diam.	Courses they bear	Links dist.
M to U at 1				
2	Buckeye	12	N 7 E	40
3	Blackberry	18	S 60 E	13
4	Maple	25	N 10 E	25
5	W. Oak	10	N 26 E	40
6	Black	29	S 41 E	44
L to V at 1	W. Oak	12	N 41 E	44
2	Buckeye	10	Corner tree	
3				
4	Blackberry	6	S 28 E	16
5	B. Oak	30	N 21 E	8
6	Blackberry	25	S 54 E	51
7	Blackberry	12	N 19 E	21
8	do	12	S 37 E	12
R to W at 1	W. Oak	8	S 65 E	18
2	B. Oak	19	S 10 E	28
3	W. Walnut	5	N 78 E	19
4	do	10	N 25 E	18
5	B. Oak	15	S 14 E	440
6	Blackberry	5	S 42 E	13
7	do	10	S 59 E	70
8	W. Oak	12	West	33
9	do	14	S 87 E	73

1	Blackberry	10	North	10
2	W. Oak	30	S 38 E	43
3	Blackberry	5	S 39 E	17
4	Maple	9	Corner tree	
5	Willow	10	S 11 E	10
6	do	15	S 58 E	27
7	do	6	S 22 E	7
8	do	4	N 33 E	15
9	do	10	Corner tree	
10	Maple	12	N 72 E	37
11	do	6	N 67 E	20
12	Blackberry	12	S 27 E	19
13	Ironwood	8	N 14 E	21
14	Black	24	S 8 E	41
15	Black. Oak	3	N 6 E	6
16	Box Elder	20	S 46 E	13
17	Maple	12	N 29 E	28
18	Blackberry	8	S 4 E	18
19	Willow	10	N 1 E	20
20	Blackberry	12	S 89 E	33
21	Blackberry	12	N 15 E	40
22	Elm	9	S 22 E	38
23	Sycamore	27	S 16 E	13
24	do	15	N 28 E	22
25	Blackberry	13	S 89 E	12
26	Elm	12	N 49 E	17
27	Black	6	S 58 E	11
28	Sugar	14	N 66 E	8





Township N. 2 X North, Range N. 2 XI West 2<sup>nd</sup> Mer. Surveyed by Arthur Henric. 1815.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35 & 36	Sand very wet & level - Timber Oak, Hickory & Ash	32 & 33	Level - Timber Oak & Hickory	31 & 32	Sand Rolling & brushy - Timber Oak & Hickory
25 & 36	dillo	27 & 34	dillo	29 & 30	dillo
25 & 26	dillo	27 & 28	dillo	29 & 30	dillo
24 & 25	dillo	22 & 27	dillo	20 & 29	dillo
23 & 24	dillo	21 & 22	dillo	19 & 20	dillo
13 & 24	dillo	15 & 16	Sand Rolling thin Soil - Timber Oak & Hickory very brushy	17 & 20	dillo
13 & 14	dillo	10 & 15	dillo	17 & 18	dillo
11 & 12	dillo	9 & 10	dillo	8 & 17	dillo
1 & 12	dillo	3 & 10	dillo	7 & 8	dillo
1 & 2	dillo	3 & 4	dillo	5 & 8	dillo
34 & 35	Sand level rich Soil	22 & 33	Sand Rolling thin Soil - Timber Oak & Hickory	5 & 6	dillo
24 & 35	dillo	28 & 33	dillo	6 & 7	dillo
26 & 27	dillo	28 & 29	dillo	7 & 18	dillo
23 & 26	dillo	21 & 28	dillo	18 & 19	dillo
22 & 23	dillo	20 & 21	dillo	10 & 36	Sand level - Timber Oak & Hickory
23 & 24	dillo	16 & 21	dillo	30 & 31	dillo
14 & 14	dillo	16 & 17	dillo		
11 & 14	dillo	9 & 16	dillo		
10 & 11	Shrub Soil very brushy - Timber Oak & Hickory	8 & 9	Sand very brushy - Timber Oak & Hickory		
2 & 11	dillo	4 & 9	dillo		
2 & 3	dillo	4 & 5	dillo		




# Post on Pondy Le.

Post	Beaming tree	inchy diam.	Comes, they	by dist.
21.	Ash	20	Corner tree	
22.	Sycamore	40	Corner tree	
23.	Elm	20	S 22 E 9	
	Hickory	20	N 51 E 20	
24.	Ash	6	S 56 W 30	
	Do.	10	N 70 W 58	
25.	Elm	20	Corner tree	
26.	Elm	12	West 18	
	B. Oak	7	N 36 E 9	
27.	Elm	24	S 14 E 9	
	Do	10	N 9 E 62	
28.	Ash	20	S 18 E 18	
	Elm	20	N 56 W 25	
29.	Hickory	4	Corner tree	
	Elm	—	S 58 E 43	
30.	W. Oak	8	S 65 E 18	
	B. Oak	12	S 40 E 28	
n.	Hackberry	12	N 86 E 26	
N.	Red Oak	10	S 30 E 40	



*T. 10 N. R. 11 W. 2<sup>d</sup> Mer.*

*Re-Survey.*



*Surveyed in 1843 by Nathl. L. Squibb D.S.*


*I certify that the above is a true copy of the  
Original plat in this Office,  
Surveyor General's Office,  
Detroit, Nov. 1. 1849 J. Lucius Lyon  
Sut. Genl.*



P.K.

DIAGRAM  
of  
Sec. 25, Tp. 10 N., R. 11 W.  
2<sup>nd</sup> P.M.  
INDIANA.

Scale : 20 Chs. to an inch.



DEPARTMENT OF THE INTERIOR,  
General Land Office,

Washington, D.C. Jan. 28, 1898.

I hereby certify that the above is a plat of the subdivisions made in accordance with Section 2219 U.S. Revised Statutes of Sec. 25, Tp. 10 N., R. 11 W., 2<sup>nd</sup> Principal Meridian, Indiana, and is strictly conformable to the field notes on file in this office.

*Ringer Hermann*  
Commissioner, and  
ex-officio Surveyor General for Indiana.